



VR-Engage

First Experience

Copyright © 2017 VT MAK
All rights Reserved. Printed in the United States.

Under copyright laws, no part of this document may be copied or reproduced in any form without prior written consent of VT MAK.

VR-Exchange™, VR-TheWorld™, VR-Vantage™, DI-Guy™, and DI-Guy Scenario™ are trademarks of VT MAK. MÄK Technologies®, VR-Forces®, RTISpy®, and VR-Link® are registered trademarks of VT MAK.

All other trademarks are owned by their respective companies.

VT MAK
150 Cambridge Park Drive, 3rd Floor
Cambridge, MA 02140 USA

Voice: 617-876-8085
Fax: 617-876-9208

info@mak.com
www.mak.com

Revision VRN-1.0-3-170426



1. VR-Engage First Experience

Thank you for deciding to try out VR-Engage. VR-Engage is a multi-role virtual simulator developed for use in training simulations or laboratory experimentation. VR-Engage lets users play the role of a first person human character, a ground vehicle driver, gunner or commander, or the pilot of a fixed wing aircraft or helicopter.

VR-Engage is built with the game quality 3D graphics of VR-Vantage, the simulation engine from VR-Forces, and the network interoperability of VR-Link. VR-Engage is a stand-alone application. It can interoperate with any simulation using DIS or HLA. However, when installed with a compatible version of VR-Forces, you can reap the benefits of their common system architecture, including scenario creation, terrain agility, common terrains, models, and configurations, and common representation of the environment.

Before you begin, install and license the software. Please see Section A.1, “[Installing VR-Engage](#),” for instructions. If you want to control the LAV entity, as described in this guide, you must connect a game controller. VR-Engage is configured for the Logitech F310 and F710 game controllers and the G27 Steering Wheel. Please contact support@mak.com for help configuring other DirectInput devices.

When you are ready, this guide will help you learn how to:

- ♦ Walk around on the terrain.
- ♦ Open a door.
- ♦ Fire on targets.
- ♦ Embark on a truck as a passenger.
- ♦ Change roles to drive a light armored vehicle (LAV).
- ♦ Damage a building in the terrain.
- ♦ Experience a high fidelity physics model.
- ♦ Embark on a helicopter.
- ♦ Fly a fighter jet.

1.1. Start VR-Engage and Load a Scenario

Let's start by loading a scenario that has a cast of humans and vehicles that you can control and interact with.

When you start VR-Engage, it looks for an instance of VR-Engage that is already running or an instance of VR-Forces that is running. If it finds one, it immediately connects to that session, loads the terrain it is using, and then asks you what character you want to control. If it does not find a session, it stops and asks you what to do.

1. Start VR-Engage. On the Start menu, choose **MAK Technologies** → **VR-Engage**. (If you just have a license for VR-Engage Ground, choose that instead of VR-Engage.) The VR-Engage window opens. The Searching for Session screen opens (Figure 1-1).




Figure 1-1. Searching for Session

2. Click Host VR-Forces Session. This option lets you load a scenario that was created using VR-Forces and provided with VR-Engage. The Host a VR-Forces Session dialog box opens (Figure 1-2).




Figure 1-2. Host a VR-Forces session dialog box

3. Click Load a Scenario. The Choose a Scenario for this Session dialog box opens (Figure 1-3).




Figure 1-3. Choose a scenario for this session dialog box

4. Select VR-Engage_First_Experience.
5. Click OK. The terrain and scenario load. The Choose Role Panel is displayed (Figure 1-4). It lists the characters that you can create if you want to add a new character to the scenario or it lists the characters that are already in the scenario.




Figure 1-4. Choose Role panel



If you just have a license for VR-Engage Ground, you will get a couple of error messages when the scenario loads telling you that you do not have the licenses for controlling fixed-wing and rotary-wing aircraft. Just click OK. The scenario will run without these licenses.

6. Select the Attach to an Existing Entity option.
7. In the list of entities, select R1 USMC M4.
8. Click Engage. The display changes to full screen mode and the scenario starts to run.

1.1.1. Walk Around the Warehouse Area

Your character is standing in front of a warehouse with other friendly forces and some vehicles.

1. Use the keyboard, mouse, and Gamepad (if available) to look around and then start walking around. (Please see [Table 2-1](#) for a list of mouse and keyboard mappings and [Figure 2-1](#) for an illustration of Gamepad mappings.)
2. There is a door to the right of the open bays in the warehouse ([Figure 1-5](#)). Walk to the door so that you are within a foot or two of it.



Figure 1-5. Warehouse door

As you get close to the door, the Door menu opens ([Figure 1-6](#)).



Figure 1-6. Door menu

3. Use the Down arrow key on your keyboard, or the down button on the D-pad to select Open.
4. Press the Right arrow key or the right button on the D-pad. The door opens.
5. Walk into the building.
6. Look around the room. There are a couple of targets.
7. Shoot at the targets. (See the next section for lots of target practice.)
8. Walk into other rooms. Walk up the stairs and explore the upstairs rooms.

1.1.2. Shoot At Targets

The default weapon is a rifle.

1. Walk back out to the parking area in front of the warehouse.
2. Look at the top of the shipping containers. You will see some targets.
3. Align the reticle (the white bulls-eye) of your gun on a target and press **Spacebar**, the left mouse button, or the Gamepad trigger to fire it.
4. Walk along the shipping containers, looking at the spaces between them. Watch for some insurgents (Figure 1-7).



Figure 1-7. Insurgents

5. When you see the insurgents, you can fire at them.
6. To aim the rifle, hold down the **m** key or the Aim Down Sight button on your Gamepad.

i

In this scenario, all Friendly forces are invulnerable. So the opposing forces cannot kill you, but you might see a lot of blood being shed if they shoot at you.

1.1.3. Embark On and Disembark From a Vehicle

Your character can embark on and disembark from vehicles. If the vehicle has available roles, such as the LAV, you can assume one of the roles or embark as a passenger. If the vehicle has interior geometry, such as the 5-ton truck or some helicopters, and you embark as a passenger, you will see the interior of the vehicle and other passengers, if they are present. If the vehicle does not have interior geometry, such as the LAV, and you embark as a passenger, you see the vehicle in third-person view.

Your character can also embark on a VR-Forces entity as a passenger and let the VR-Forces simulation engine handle the driving.

1. Look around the parking area until you see a truck with some soldiers sitting in the back.
2. Walk towards the truck. When you get close to the truck, the Embark menu opens (Figure 1-8).



Figure 1-8. Embark menu

3. Select Passenger. Your character embarks on the truck. The truck starts to drive.
4. Look around at the other passengers and at the scenery as the truck drives.
5. When you are ready to get off the truck, press ~ or the Back button on the Gamepad to open the Action menu.
6. Select Disembark. The character is placed off the back of the truck.



Another way to disembark is to use the Action menu to have your character stand up and then turn the character and walk off the back of the truck.

1.1.4. Give Simulated Entities a Task

You can interact with the other entities in a scenario. In this section, you will throw a grenade, which triggers a fire team insertion. Then you will task an entity to move.

1. Press ~ or the Back button on the Gamepad to open the Action menu.
2. Select Weapon.
3. Press the Right Arrow key or the right button on the D-pad until you select Smoke Grenade (Figure 1-9). (You can also change the weapon by pressing the Select Weapon button on the Gamepad.) When you select a grenade, a circular target cursor is displayed. The cursor indicates where the grenade will land.



Figure 1-9. Smoke grenade target

4. Face an open area in the warehouse lot.
5. Use the right thumbstick on your Gamepad to move the target to a spot on the ground.
6. To launch the grenade, press **Spacebar**, the left mouse button, or the Gamepad trigger. Press the Fire Weapon button or key to throw the grenade. The grenade will emit a smoke plume. After about a minute, a helicopter will approach and a fire team will drop down using fast roping (Figure 1-10).



Figure 1-10. Fast roping

7. After the helicopter flies away, open the Action menu.
8. Select Task Entity and press the Right Arrow or the right button on the D-pad. A list of entities is displayed.
9. Scroll down the list until you can select Unit 1. (The four soldiers who disembarked from the helicopter are named Unit 1, Unit 2, Unit 3, and Unit 4.)
10. Press the Right Arrow or the right button on the D-pad for a list of tasks.
11. Select Move to Location. A waypoint symbol is displayed ([Figure 1-11](#)).



Figure 1-11. Waypoint symbol

12. On the Gamepad, use the right thumbstick to move the waypoint to the location where you want Unit 1 to move.
13. Press the Right Arrow, the right button on the D-pad, or the B button on the Gamepad. Unit 1 moves to the location.

1.1.5. Change Your Role in the Scenario

You can change the role you are playing to be any entity in the scenario.

To change your role:

1. Press **F5** to move the character back to its starting location.
2. Turn your character and walk towards the LAV. When you get close to the LAV, the Embark LAV menu opens ([Figure 1-12](#)).




Figure 1-12. Embark LAV menu

3. Select Driver. You are now controlling the driver of the LAV. Use your game controller to drive the LAV.
4. Press the Y button on your Gamepad to switch through different views: a driver's view, a couple of oblique 3rd-person views, and a gunner's view. Note that you can aim and fire the gun, as well as drive.
5. Press the Gamepad Start button to start the motor.
6. Press the Gear Up button to put the LAV into gear.
7. Use the throttle and steering controls to drive towards the exit at the far end of the warehouse area. (It might be easier to navigate through the parking lot using one of the 3rd person views.)
8. Take a left out of the gate onto the road and drive towards the burning vehicle in the road.



While the driver can shoot as well as drive, it is also possible to have another VR-Engage player assume the role of gunner while you are in the role of driver.

1.1.6. Damage Terrain

1. Drive down the road.
2. As you approach the end of the road, you will see an undamaged truck parked next to the building by the tower (Figure 1-13). There is an explosive device underneath the truck that when fired upon will detonate and destroy the adjacent building.



Figure 1-13. Undamaged truck

3. Press the Y button on the Gamepad until you see the Gunner view. It has a square frame with a dot in the center (Figure 1-14).



Figure 1-14. Gunner view

4. Fire on the truck using the 25mm cannon on the LAV. The truck and the building will explode and be damaged ([Figure 1-15](#)).



Figure 1-15. Damaged truck and building

1.1.7. Physics Model

There is another LAV vehicle on the road opposite the truck you just destroyed.

1. Change the view of your LAV to a 3rd-person view. (Press the Y button on your Gamepad.)
2. Deliberately drive into the other LAV and observe how the physics-based vehicle model realistically models the collision.
3. Drive onto the curb or rugged nearby terrain and observe the individual articulation of the wheels.

1.1.8. Embark on a Simulated Aircraft

1. Drive past the LAV until you see a helicopter on the ground (Figure 1-16).



Figure 1-16. Helicopter

2. On the Action menu, select Disembark. The soldier disembarks from the LAV.
3. Walk over to the helicopter. As you get close to the helicopter, a popup menu opens, with the option to embark as a pilot or passenger (Figure 1-17).



Figure 1-17. Embark on helicopter

4. Select Passenger. The soldier embarks on the helicopter. The helicopter automatically takes off.

5. Once inside, note that you can look around, stand up and walk around. (Take care to stay inside the helicopter - it is possible to inadvertently walk off the aircraft.) The helicopter has a plan to automatically take off for a brief flight and then land when the entity named R 1 climbs aboard.
6. As the helicopter nears the ground, walk toward the rear of the aircraft (approach, but do not step on the ramp).
7. Near the ground, the ramp will open and you can walk off the aircraft to disembark.

1.2. Fly a Fighter Jet

So far we have looked at controlling humans and ground vehicles. Now let's try to fly an F/A-18. VR-Engage includes mappings for the Thrustmaster Warthog flight controller, the T.Flight Hotas X flight controller, and the Gamepad F310. Please see "[Flight Controllers](#)," on page 2-8 for mappings.

i

- ♦ Flying a jet is easier if you have two monitors, one for the instrument panel and one for the head-up display (HUD) view.
 - ♦ The Gamepad provides limited flight support. It is recommended that you use a game controller with a joystick and throttle, such as the supported Thrustmaster controllers.
 - ♦ To control aircraft, you must have an RTDynamics license installed. For details, please see *VR-Engage 1.0 Release Notes*.
-

1. If VR-Engage is not running, start it and load the VR-EngageFirst_Experience scenario as you did earlier in this first experience.
2. Choose **Settings** → **Tactical Graphics**. This scenario has tactical graphics that we want you to see. Tactical graphics are disabled by default, so you need to turn them on.
3. Use the mouse wheel to zoom out so that you can see more of the island and aircraft located south of it.

Take a look at the layout of entities in the scenario ([Figure 1-18](#)). You will see a blue force jet off the southern coast of Oahu. You will also see some large areas drawn on the map. The scenario has three vignettes for you to play:

- ♦ A dismounted infantryman is lasing a target in the Ala Moana area of Honolulu. As you fly towards the coast you will see the laser code and can bomb the target.
- ♦ When the jet flies into the yellow area, a SAM battery will fire surface-to-air missiles at you. Your job is to evade the missiles.
- ♦ When the jet flies into the green area, several Mig-29s will approach you. Your job is engage them in combat.



Figure 1-18. Jet experience areas

1.2.1. Take Control of the Jet

To take control of the jet:

1. In the Change Role Panel or on the map, select FtrFW 1.
2. Click Engage. The screen changes to show a HUD and an instrument panel. (If you just have one monitor, the instrument panel will probably obscure the HUD view. You can minimize it to see out the window.)

1.2.2. The Head-Up Display

The head up display provides an out-the-window view with an overlay showing speed, altitude (R = above ground level; A = above mean sea level), and heading (Figure 1-19).



Figure 1-19. HUD

1.2.3. The Instrument Panel

The instrument panel (Figure 1-20) has six gauges and four multi-function displays (MFD).



The instrument panel is an independent window. You can minimize and maximize it. Sometimes it gets hidden behind the HUD. If that happens, press **Alt+Tab** to bring it to the front.




Figure 1-20. Instrument panel

The gauges are:

- ♦ 1 – Altimeter.
- ♦ 2 – Attitude Indicator (Artificial Horizon).
- ♦ 3 – Airspeed Indicator.
- ♦ 4 – Vertical Speed Indicator.
- ♦ 5 – Heading Indicator.
- ♦ 6 – Compass.

The MFDs are:

- ♦ Tactical Situation Display (Radar Indicator).
- ♦ Weapons/Stores Control Panel.
- ♦ Synthetic Aperture Radar (SAR) view.
- ♦ Radar Warning Receiver. Shows entities that are detecting you on their radar. The rings show the effective threat range.
- ♦ Visual Sensor Display. Displays the view from the gimbaled sensor or a plan view display of the scenario.

Changing the Multi-Function Display

Each MFD window can display any of the possible display types.



Figure 1-21. Multi-function display

- To change the display, click one of the buttons along the bottom of the display. For Arms and Stores and Sensor view/Plan view, clicking one of the two leftmost buttons on the top of the MRD changes the display.



If the MFD display does not change when you click the buttons, the instrument panel might not have focus. Maximize it to ensure that it has focus.

1.2.4. Set Up The Multi-function Displays

Start by changing the MFDs to a more useful set.

1. Click the right-most button under the SAR display to change it to the sensor view display, as illustrated in [Figure 1-22](#).
2. Click the second button from the left above the sensor view display to change it to plan view display. Now you have a ground-truth view of the entities in the scenario. This will help you understand where you are in relationship to the other entities.




Figure 1-22. Multi-function displays

1.2.5. Bomb a Target

Bombs get dropped wherever the target pod is looking. There are two ways to identify the target - you can specify MGRS coordinates, or you can lase the target and look at the location being lased. For lased targets, you can look at the target once, or you can continuously track what the laser is targeting. We will use this last type.

In this scenario an entity is lasing a target. If VR-Forces is controlling the lasing entity, the laser code is 555. If another player is controlling the lasing entity, the laser code is 1234.

To bomb the target:

1. After you take control of the jet, start flying.
2. Look at the Head Up display. You should see a laser code ([Figure 1-23](#)). (The text is light green, so it may be hard to see.)



Figure 1-23. Laser code

3. Press **3**. The Continuous Laser Track dialog box opens.
4. Type 555. The sensor view focuses on the lased object ([Figure 1-24](#)).




Figure 1-24. Sensor view

i

You can also enter the laser code by pressing **2**. When you enter the laser code by pressing **2**, the gimbal slews to look at the laser point. When you press **3**, the sensor stays fixed on the laser location.

5. Click OK.
6. Fly as close to the target as you want.
7. Press the trigger to drop the bomb.

1.2.6. Avoid Surface to Air Missiles

Continue flying North to enter the yellow area. When you enter the area, a SAM battery will detect you and fire SAM missiles. When your aircraft detects the missiles, it will sound a warning. You will need to have speakers or a headset to hear the warning.

Take evasive action. The jet will automatically fire chaff and flare to try to confuse the missile. If you watch on the plan view display, you will see the missile and the chaff and flare.

1.2.7. Air-to-Air Combat

If you survive the missile attack, fly the jet to the Southeast area of Oahu - the green area you saw when you chose your role. When you enter the area, three Red force fighters will approach you. You can view them on your plan view display and the Radar Indicator (Figure 1-25). You can also may be able to see them visually in the Head Up display.

A blue cursor along the bottom of the Radar Indicator shows when the radar is scanning. Yellow icons indicate detected targets.




Figure 1-25. Radar Indicator

You may also see targets as green diamonds on the HUD (Figure 1-26).



Figure 1-26. Targets in HUD

Select the target using the cursor select controls. Once you have locked on a target (Figure 1-27), you can fire a missile at it. The F/A-18 has two air-to-air missiles. You can tell you have locked on a target when the following things happen in the Radar Indicator:

- ♦ The target icon becomes an outline instead of being solid.
- ♦ The radar scanning indicator tracks the target instead of sweeping back and forth.
- ♦ The gates (the two vertical lines in the Radar Indicator) are no longer displayed.



Figure 1-27. Radar lock



2. Mouse, Keypad, and Controller Mappings

This chapter describes mouse and keyboard mappings and controller mappings for VR-Engage.

2.1. Mouse and Keyboard Mappings

[Table 2-1](#) lists mouse and keyboard mappings for human players.

Table 2-1: Human player mouse and keyboard controls

Mouse Mappings	
Turn and move weapon	Mouse move
Fire	Left mouse button
Zoom in	Mouse wheel forward
Zoom out	Mouse wheel backward
Aim	Right mouse button
Keyboard Mappings	
Toggle full screen	CTRL + ENTER
Stop playing	ESC
Toggle Action menu	~
First-person mode	1
Third-person mode	3
Reset to starting position (the scenario continues to run)	F5
Reset in current position (the scenario continues to run)	CTRL + F5
Move forward	W

Table 2-1: Human player mouse and keyboard controls

Mouse Mappings	
Move backward	S
Strafe left	A
Strafe right	D
Yaw left	Left arrow
Yaw right	Right arrow
Posture up	Q
Posture down	E
Sprint	SHIFT + W
Fire	SPACE
Aim	M
Pitch weapon up	Up arrow
Pitch weapon down	Down arrow
Toggle Night Vision Goggles	N
Binoculars	B
Zoom in	=
Zoom out	-
Toggle flashlight	F

[Table 2-2](#) lists keyboard controls for the Action menu.

Table 2-2: Action menu mouse and keyboard mappings

Mouse Mappings	
Select menu item	Mouse move
Keyboard Mappings	
Next menu item	Up arrow
Previous menu item	Down arrow
Select menu item	Right arrow or Enter
Return to previous menu	Left arrow

2.2. Logitech Gamepad Mappings for Human Control

Figure 2-1 illustrates Gamepad mappings for controlling humans. (On the Joystick Settings page, the Logitech F310 is mapped as Logitech Dual Action; the Logitech F710 is mapped as Logitech Cordless RumblePad 2)



Figure 2-1. Human controls

2.3. Logitech Gamepad Mappings for the Action Menu

VR-Engage has an on-screen menu that you can use for the following:

- ♦ Toggle the flashlight.
- ♦ Toggle night vision goggles.
- ♦ Toggle the radio.
- ♦ Interact with the terrain, such as opening and closing doors.
- ♦ Give a task to an entity.
- ♦ Change the weapon.

Figure 2-2 illustrates Gamepad mappings for the Action menu.



Figure 2-2. Gamepad menu controls

2.4. Logitech Gamepad Mappings for the LAV

Gamepad mappings for controlling vehicles depend on the role you are playing. They are illustrated as follows:

- ♦ [Figure 2-3](#) illustrates driver controls. These controls also apply to driving the M1A2 Abrams tank, except as noted.
- ♦ [Figure 2-4](#) illustrates commander controls.
- ♦ [Figure 2-5](#) illustrates gunner controls.



Figure 2-3. LAV driver controls



Figure 2-4. LAV commander controls



Figure 2-5. LAV gunner controls

2.5. G27 Racing Wheel Controller

Figure 2-6 illustrates the mappings of the G27 racing wheel for use with VR-Engage.



If your racing wheel is not working as expected, make sure you are using the latest drivers.



Figure 2-6. G27 racing wheel controls

2.6. Flight Controllers

VR-Engage includes mappings for the Thrustmaster HOTAS Warthog flight controller, the T.Flight Hotas X flight controller, and the Gamepad F310 and F710.

2.6.1. Thrustmaster HOTAS Warthog Mappings

Figure 2-7 and Figure 2-8 show the mappings for the Thrustmaster Warthog flight controller for fixed-wing entities.



Figure 2-7. Thrustmaster HOTAS Warthog joystick mappings fixed-wing




Figure 2-8. Thrustmaster HOTAS Warthog throttle mappings - fixed-wing

Table 2-3 lists the flight controls for the Thrustmaster HOTAS Warthog controller for fixed-wing entities.

Table 2-3: Thrustmaster HOTAS Warthog mappings - fixed-wing

Function	Key/Button
Fire Missile	
fire	Button 1
FixedWingLib CGF Flight Controls	
pitch	Joystick forward and back (Axis 2)
roll	Joystick left and right (Axis 1)
throttle	Throttle lever (Axis 3)
Gimbaled Sensor	
sensor-azimuth	Throttle HAT 1 Right (Up), HAT 1 Left (Down)
sensor-elevation	Throttle HAT 1 Up (Up), HAT 1 Down (Down)
sensor-reset	Throttle Button 3 Down
sensor-track-location	Throttle Button 5 Down
sensor-zoom	Throttle Button 4 (Down), Button 6 (Up)
Radar Scope	
cursor-select	Button 1
cursor-x	Axis 1
cursor-y	Axis 2

Table 2-3: Thrustmaster HOTAS Warthog mappings - fixed-wing

Function	Key/Button
Release Bomb	
release	Button 2
SAR	
request	Throttle Button 15
Scenario Control	
pause	Button 13 (D-pad down)
play	Button 11 (D-pad up)
reset	Button 14 (D-pad left)

Figure 2-9 and Figure 2-10 show the mappings for the Thrustmaster Warthog flight controller for fixed-wing entities.



Figure 2-9. Thrustmaster HOTAS Warthog joystick mappings - rotary-wing




Figure 2-10. Thrustmaster HOTAS Warthog throttle mappings - rotary-wing

Table 2-4 lists the flight controls for the Thrustmaster HOTAS Warthog controller for rotary-wing entities.

Table 2-4: Thrustmaster HOTAS Warthog mappings - rotary-wing

Function	Key/Button
Fire Missile	
fire	Button 1 Down
Gimbaled Sensor	
sensor-azimuth	Throttle HAT 1 Right (Up), HAT 1 Left (Down)
sensor-elevation	Throttle HAT 1 Up (Up), HAT 1 Down (Down)
sensor-reset	Throttle Button 3 Down
sensor-track-location	Throttle Button 5 Down
sensor-zoom	Throttle Button 4 (Down), Button 6 (Up)
Radar Scope	
cursor-select	Button 1
cursor-x	Axis 1
cursor-y	Axis 2
Release Bomb	
release	Button 2
RotorLib CGF Rotary Wing Controls	
collective	Axis 3, <UP>, <DOWN>

Table 2-4: Thrustmaster HOTAS Warthog mappings - rotary-wing

Function	Key/Button
pedal	HAT 1 Up, HAT 1 Left
pitch	Axis 2, W
roll	Axis 1, D (Up), A (Down)
wheel-brake	B
SAR	
request	Button 15
Scenario Control	
pause	Button 13
play	Button 11
reset	Button 14

2.6.2. T.Flight Hotas X Mappings

Figure 2-11 shows the movement controls for the T.Flight Hotas X flight controller for fixed-wing entities.




Figure 2-11. Fixed-wing T.Flight Hotas X movement - fixed wing

Figure 2-12 shows the buttons for the T.Flight Hotas X flight controller for fixed-wing entities.




Figure 2-12. Fixed-wing T.Flight Hotas X buttons - fixed-wing

Table 2-5 lists the flight controls for the T.Flight Hotas X controller for fixed-wing entities.

Table 2-5: T.Flight Hotas X mappings - fixed-wing

Function	Key/Button
Fire Missile	
fire	Button 2 Down
FixedWingLib CGF Flight Controls	
pedal	Joystick twist left and right (Axis 4)
pitch	Joystick forward and back (Axis 2)
roll	Joystick left and right (Axis 1)
throttle	Throttle forward and back (Axis 3)
Gimbaled Sensor	
sensor-azimuth	HAT 1 Right, Left
sensor-elevation	HAT 1 Up, Down
sensor-reset	R
sensor-track-location	L
sensor-zoom	Rocker buttons on back of throttle (Axis 5)
Menu	
down	HAT 1 Down, <DOWN>
left	HAT 1 Left, <LEFT>
right	HAT 1 Right, <RIGHT>
up	HAT 1 Up, <UP>

Table 2-5: T.Flight Hotas X mappings - fixed-wing

Function	Key/Button
Radar Scope	
cursor-select	Button 7 Down Toggle
cursor-x	Button 9 (Up), Button 10 (Down), Axis 5
cursor-y	Button 5 (Up), Button 6 (Down)
Release Bomb	
release	Button 1 Down
SAR	
request	S, Button 8 Down

Figure 2-13 shows the movement controls for the T.Flight Hotas X flight controller for rotary-wing entities.




Figure 2-13. Fixed-wing T.Flight Hotas X movement - rotary-wing

Figure 2-14 shows the button controls for the T.Flight Hotas X flight controller for rotary-wing entities.




Figure 2-14. Fixed-wing T.Flight Hotas X buttons - rotary-wing

Table 2-6 lists the flight controls for the T.Flight Hotas X controller for rotary-wing entities.

Table 2-6: T.Flight Hotas X mappings - rotary-wing

Function	Key/Button
Fire Missile	
fire	Button 2 Down
Gimbaled Sensor	
sensor-azimuth	HAT 1 Right, Left
sensor-elevation	HAT 1 Up, Down
sensor-reset	R
sensor-track-location	L
sensor-zoom	Rocker buttons on back of throttle (Axis 5)
Menu	
down	HAT 1 Down, <DOWN>
left	HAT 1 Left, <LEFT>
right	HAT 1 Right, <RIGHT>
up	HAT 1 Up, <UP>
Radar Scope	
cursor-select	Button 7
cursor-x	Button 9 (Up), Button 10 (Down), Axis 5
cursor-y	Button 5 (Up), Button 6 (Down)
Release Bomb	
release	Button 1

Table 2-6: T.Flight Hotas X mappings - rotary-wing

Function	Key/Button
RotorLib CGF Rotary Wing Controls	
collective	Throttle forward and back (Axis 3)
pedal	Joystick twist left and right (Axis 4)
pitch	Joystick forward and back (Axis 2)
roll	Joystick left and right (Axis 1)
SAR	
request	S, Button 8

2.6.3. Gamepad Flight Control Mappings

Figure 2-15 illustrates the fixed-wing flight controls for Gamepads.



Figure 2-15. Fixed-wing flight controls

Figure 2-16 shows the buttons for the F310 Gamepad for rotary-wing control.



Figure 2-16. Gamepad rotary-wing flight controls

Table 2-7 lists the flight controls for Gamepads for fixed-wing entities.

Table 2-7: Gamepad flight control mappings - fixed-wing

Function	Key/Button
Fire Missile	
fire missile	Button 8 Down Toggle
FixedWingLib CGF Flight Controls	
pedal	Axis 1 (Left thumbstick, left/right)
pitch	Axis 4 (Right thumbstick, forward/back)
roll	Axis 3 (Right thumbstick, left/right)
throttle	Axis 2 (Left thumbstick, forward/back)
Gimbaled Sensor	
sensor-azimuth	HAT 1 Left (Up), Right (Down)
sensor-elevation	HAT 1 Up (Up), Down (Down)
sensor-reset	R
sensor-track-location	L

Table 2-7: Gamepad flight control mappings - fixed-wing

Function	Key/Button
sensor-zoom	Button 5 (Up), Button 6 (Down)
SAR	
request	S

Table 2-8 lists the flight controls for Gamepads. for rotary-wing entities

Table 2-8: Gamepad flight control mappings

Function	Key/Button
Fire Missile	
fire missile	Button 8 Down Toggle
Gimbaled Sensor	
sensor-azimuth	HAT 1 Left (Up), Right (Down)
sensor-elevation	HAT 1 Up (Up), Down (Down)
sensor-reset	R
sensor-track-location	L
sensor-zoom	Button 5 (Up), Button 6 (Down)
RotorLib CGF Rotary Wing Controls	
collective	Axis 2
pedal	Axis 1
pitch	Axis 4
roll	Axis 3
SAR	
request	S

2.7. Generic Gamepad Button Numbering

Game controllers are mapped in the Joystick Configuration page of the Application Settings dialog box. The mapping are identified by button and axis numbers. [Figure 2-17](#) identifies the button and axis numbering scheme.




Figure 2-17. Button and axis numbering



A. Installation and Licensing

Your MAK salesperson has given you links to the VR-Engage installers and VR-Forces installers, and may have given you links to other installers. Download the files. Before you install the applications, note the following possible issues:

- ♦ When you install VR-Engage, there may be a delay of up to several minutes from the time you try to run the setup program to the time that an installation dialog box is displayed. If you experience this problem, turning off User Access Control can reduce or eliminate this delay.
- ♦ These instructions assume you are familiar with installing Windows applications that use a wizard-style installer. They also assume that you have an unzipping application and know how to use it.

A.1. Installing VR-Engage

VR-Engage has an application installer and a data package. The base data package has four files. You must install all four files or VR-Engage will not run properly. The default installation process installs these files automatically.

VR-Engage also has a supplementary data package that has additional terrains. The installation package includes a set of plug-ins to VR-Forces and VR-Vantage. If you are installing a VR-Forces build that is compatible with VR-Engage and want to take advantage of VR-Engage/VR-Forces integration, you must install the plug-in. The VR-Vantage plug-in adds models.

To install VR-Engage:

1. Run the application installer. It opens an installation wizard.
2. When the installation wizard asks how you want to install the application data package, select **Install the recommended data package automatically**. The installer will install VR-Engage and automatically install the data package.
3. Optionally, install VR-Forces and VR-Engage plug-ins, as described in [“Installing a Compatible VR-Forces and VR-Engage Plug-ins,”](#) on page A-2.

A.1.1. Installing a Compatible VR-Forces and VR-Engage Plug-ins

If you install a version of VR-Forces that is compatible with VR-Engage and you install the VR-Engage plug-ins, you can control VR-Forces simulation objects from VR-Engage.

To install VR-Forces:

1. Run the VR-Forces application installer. When the installation wizard asks how you want to install the data package, select the option to install the data package automatically.
2. In the VR-Engage root directory, run *VR-ForcesVR-EngageAdd-ons.exe*. If the add-on installer cannot find the VR-Forces directory, it displays a message.
3. Click OK. You are prompted to specify the VR-Forces directory to install into.
4. Specify the VR-Forces directory.
5. Click OK. Since the directory already exists, you are prompted to confirm the installation.
6. Click Yes.
7. Complete the installation wizard.

A.2. Setting Up the License Manager

To use a MAK product, you must install the MAK License Manager and get a license for your product. Before you can use a MAK product, you must obtain a valid license file and specify the license server.

► To install the MAK License Manager, run the installer.

The general procedure for configuring license management is as follows:

1. Identify the name and ID of the license server and request a license file.
2. Put the license file in the *MAK/MAKLicenseManager* directory on the license server.
3. Run the license server.
4. Specify the license server location.

A.2.1. Identify the Host ID and License Server Name

For simplicity, use the computer on which you installed VR-Engage as the license server. To find out the host ID and license server name:

1. On the Start menu, choose **Programs** → **MAK Technologies** → **MAK License Manager** → **MAK License Manager**. The MAK License Manager utility opens (Figure A-1).




Figure A-1. License Manager

2. Select the Request License tab. It displays the server name and the IDs for your network cards.

3. If you have more than one network card, select the one that you want to use as Host ID.
4. Send the host ID and hostname to your MAK salesperson. MAK will e-mail you a license file.

A.2.2. Put the License File in the *MAKLicenseManager* Directory

When you receive your license file, put it in the *MAKLicenseManager* directory on the license server. The file should have the extension *.lic*. If it does not, please contact keys@mak.com to clarify why it did not follow this convention.

A.2.3. Run the License Server

- To start the license server daemon, on the server machine only, execute `runLm` from the *MAKLicenseManager* directory.

Shutting Down the License Server

- To force all applications to check in their licenses and shut down the license server daemon, run `lmdown`.

A.2.4. Specify the License Server

The first time you run a MAK application on a computer, the License Setup dialog box opens (Figure A-2). It prompts you to enter the hostname of the license server and optionally, a port number.




Figure A-2. License Setup dialog box

1. Type the hostname in the Hostname box.
2. Click Add License Server. The application will start.

A.3. Third Party Licenses

You may need to install licenses for the Vortex Libraries (ground vehicle movement) or RTDynamics libraries (fixed-wing and rotary-wing movement). Please see *VR-Engage 1.0 Release Notes* for details.

